

Performance Chart, PAROC BLT 9

15 kg / bag

Minimum density 40 kg/m³

Thermal conductivity, λ_D , 0.041 W/mK

LOFT

Declared thermal resistance level R	Thickness after settlement	Minimum installed thickness (rounded)	Minimum coverage after settlement	Minimum bag usage rate
[m ² K/W]	[mm]	[mm]	[kg/m ²]	[Bags per 100 m ²]
1,00	41	45	1,7	10,9
2,00	82	90	3,3	21,9
3,00	123	130	5	32,8
4,00	164	175	6,6	43,7
5,00	205	220	8,2	54,7
6,00	246	260	9,9	65,6
7,00	287	305	11,5	76,5
8,00	328	350	13,2	87,5
9,00	369	390	14,8	98,4
10,00	410	435	16,4	109,3
11,00	451	475	18,1	120,3
12,00	492	520	19,7	131,2
13,00	533	565	21,4	142,1
14,00	574	605	23,0	153,1
15,00	615	650	24,6	164,0
16,00	656	695	26,3	174,9
17,00	697	735	27,9	185,9
18,00	738	780	29,6	196,8
19,00	779	820	31,2	207,7
20,00	820	865	32,8	218,7

Technical information contained herein is furnished without charge or obligation and is given and accepted at recipient's sole risk. Because conditions of use may vary and are beyond our control, Paroc makes no representation about, and is not responsible or liable for the accuracy or reliability of data associated with particular uses of any product described herein. Paroc reserves the right to modify this document without prior notice. PAROC is a registered trademark of Paroc Group Oy.

Performance Chart, PAROC BLT 9

15 kg / bag

Minimum density 60 kg/m³

Thermal conductivity, λ_D , 0.038 W/mK

FRAME, 0°- 90°

Frame width [mm]	Declared thermal resistance level R [m ² K/W]	Minimum bag usage rate [Bags per 100 m ²]
50	1,3	20,0
75	2,0	30,0
100	2,6	40,0
125	3,3	50,0
150	3,9	60,0
175	4,6	70,0
200	5,3	80,0
225	5,9	90,0
250	6,6	100,0
275	7,2	110,0
300	7,9	120,0
325	8,6	130,0
350	9,2	140,0
375	9,9	150,0
400	10,5	160,0
425	11,2	170,0
450	11,8	180,0
475	12,5	190,0
500	13,2	200,0

Technical information contained herein is furnished without charge or obligation and is given and accepted at recipient's sole risk. Because conditions of use may vary and are beyond our control, Paroc makes no representation about, and is not responsible or liable for the accuracy or reliability of data associated with particular uses of any product described herein. Paroc reserves the right to modify this document without prior notice. PAROC is a registered trademark of Paroc Group Oy.